

LITEON Optical Disk Drive

SALES CONTACT :

Effective Date : 10 Juni 2020



PT Nusantara Jaya Teknologi

e-mail : support@njt.co.id
 Website : http://njt.co.id/
 Facebook : https://www.facebook.com/NJTonline
 Twitter : https://twitter.com/onlineNJT
 Youtube : bit.ly/NJTonline-channel





Services Center
 Pangeran Jayakarta : 021- 6018218
 Harco Mangga Dua : 021- 6124541







800-140-1216

Services Online Checking :
<http://www.njt.co.id>

Model	Remark	MSRP	Specification			Speed Data Transfer
			Dimension	Function	Interface	
 Lite On DVD-RW 24X DH-24AFSH-UL14-LITEON	R	Rp 166.000	14.6 x 4.14 x 17.0 cm (length)	Internal Drive	Sata	DVD + -R 24x, DVD + -R DL 8X, DVD + RW 8X, DVD-RW 6X, DVD-ROM 16X, CD-R 48X, CD-RW 24X, 48X CD-ROM
 Lite On DVDRW 8X External Black-eBAU108	L	Rp 293.000	140 (W) x 13.5 (H) x 136.3 (L) mm	External Drive	USB 2.0	DVD+R 8x DVD-R 8x DVD+R DL 6x DVD-R DL 6X m Read Speed DVD-ROM 8X ReWrite Speed DVD+RW 8x DVD-RW 6X Write Speed CD-R 24X maximum Read Speed CD-ROM 24X maximum ReWrite Speed CD-RW 24X maximum

SSD

Model	Description	R	↕	MSRP	Capacity	Form Factor	Ticknes	Interface	Components	Technology	Controller	Seq Reads	Seq Writes	Warranty	Additional	Features
LITE ON MU X1 512GB M.2		L		Rp 1.124.000	512GB			PCIe NVMeGen 3x4				Up to 3,400 MB/s	Up to 3,000 MB/s			3D NAND/NVMe 1.3/Thermal throttling
LITE ON MU X1 256GB M.2		NA		Rp 756.000	256GB			PCIe NVMeGen 3x4				Up to 3,400 MB/s	Up to 3,000 MB/s			3D NAND/NVMe 1.3/Thermal throttling
 SSD LiteOn MU3 960G 2.5" SATA SSD		NA		Rp 1.685.000	960GB	2.5"										
 SSD LiteOn MU3 480G 2.5" SATA SSD		NA		Rp 843.500	480GB	2.5"										
 SSD LiteOn MU3 240G 2.5" SATA SSD	PH6-CE240	NA		Rp 449.000	120GB	2.5"	7 mm	SATA 6Gb/s	3D MLC	LDPC ECC correction	Marvel	560 MB/s	520 MB/s	3 Years		SATA SSD features highly optimized controller and 3D MLC NAND flash High Endurance Built-in LDPC
 SSD LiteOn MU3 120G 2.5" SATA SSD	PH6-CE120	NA		Rp 299.400	256GB	2.5"	7 mm	SATA 6Gb/s	TLC	LDPC ECC correction	Marvel	560 MB/s	460 MB/s	3 Years		SATA SSD features highly optimized controller and 3D MLC NAND flash High Endurance Built-in LDPC



PT Nusantara Jaya Teknologi
 e-mail : support@njt.co.id
 Website : http://njt.co.id/
 Facebook : https://www.facebook.com/NJTonline
 Twitter : https://twitter.com/onlineNJT
 Youtube : bit.ly/NJTonline-channel

5 Cara Order Mudah!

- 01 DIRECT LINE
021-6231 7156 & 021-6298 621
- 02 WHATSAPP
0855 1200 306 & 0855 1200 267
- 03 PIN BB
D4A658FA & DA58CCA9
- 04 WEB
www.myclub.co.id
- 05 EMAIL
tele.sales@njt.co.id











Services Center
 Pangeran Jayakarta : 021- 6018218
 Harco Mangga Dua : 021- 6124541

800-140-1216

Services Online Checking :
<http://www.njt.co.id>

SSD M.2 NVME

Model	Description	R	↕	MSRP	Capacity	Form Factor	Ticknes	Interface	Components	Technology	Controller	Seq Reads	Seq Writes	Warranty	Features
	PX-1TM9PeY HHL NVME 1TB	PX-1TM9PeY	C	Rp 2.545.000	1TB	PCI Express Card with Half-Height	PCIE	PCIE 3.1	3D TLC	3D NAND, LDPC	Marvel	3200 MB/s	2000 MB/s	3 Years	
	Plextor NVME M9PeY HHL PCIe Gen3x4 SSD 256 GB with Heatsink, RBG	PX-256M9PeY	NA	Rp 2.270.000	256GB	PCI Express Card with Half-Height	PCIE	PCIE 3.0	3D TLC	3D NAND, LDPC	Marvel	3,000 MB / s	1,000 MB / s	4 Years	The Plextor M9Pe series is equipped with high-performance 64-layer 3D NAND flash and flagship controller chip. Combined with the latest LDPC error correction technology and proprietary cache optimization technology, PlexNitro, the M9Pe delivers ultra high-performance, durability, and stability and reliability.
	Plextor NVME M9PeY HHL PCIe Gen3x4 SSD 512 GB with Heatsink, RBG	PX-512M9PeY	L	Rp 1.495.000	512GB	PCI Express Card with Half-Height	PCIE	PCIE 3.0	3D TLC	3D NAND, LDPC	Marvel	3200 MB/s	2000 MB/s	5 Years	

	PX-1TM9PeG HHL NVME 1TB	PX-1TM9PeG	L	Rp 2.375.000		M.2 2280	M.2	M.2 Pcie Gen 3x4 NVME	3D TLC	3D NAND, LDPC	Marvel	3000 MB/s	1000 MB/s	6 Years	
	Plextor NVME M9PeG M.2 NVME PCIe Gen3x4 SSD 256GB with Heatsink	PX-256M9PeG	C	Rp 799.000	120GB	M.2 2280	M.2	M.2 Pcie Gen 3x4 NVME	3D TLC	3D NAND, LDPC	Marvel	3000 MB/s	1000 MB/s	7 Years	The Plextor M9Pe SSD series features aesthetics and functionality in one streamlined design and extraordinary heat sink that catches every PC gamers' fancy. The highly efficient cooling fins design helps immediately dissipate heat generated by high speed data transmissions, maintaining optimal system performance.
	Plextor NVME M9PeG M.2 NVME PCIe Gen3x4 SSD 512GB with Heatsink	PX-512M9PeG	L	Rp 1.297.000	120GB	M.2 2280	M.2	M.2 Pcie Gen 3x4 NVME	3D TLC	3D NAND, LDPC	Marvel	3200 MB/s	2000 MB/s	8 Years	
	Plextor NVME M9PeGN M.2 NVME PCIe Gen3x4 SSD 256GB	PX-256M9PeGN	NA	Rp 778.000	120GB	M.2 2280	M.2	M.2 Pcie Gen 3x4 NVME	3D TLC	3D NAND, LDPC	Marvel	3000 MB/s	1000 MB/s	9 Years	With the adoption of the latest NVMe PCIe Gen 3 x 4 super high-speed transmission interface, the new M9Pe delivers low latencies, sequential read/write speeds up to 3,200 / 2,100 MB/s and random read/write speeds up to 400,000 / 300,000 IOPS. No matter what you use it for, work, entertainment ,or extreme PC gaming, the M9Pe is undoubtedly the best choice you will ever make.
	Plextor NVME M9PeGN M.2 NVME PCIe Gen3x4 SSD 512GB	PX-512M9PeGN	C	Rp 1.140.000	120GB	M.2 2280	M.2	M.2 Pcie Gen 3x4 NVME	3D TLC	3D NAND, LDPC	Marvel	3200 MB/s	2000 MB/s	10 Years	

	Plextor SSD M.2 256G PX-256M7VG		R		Rp 436.000	256GB	M.2 2280	M.2	M.2 SATA 6Gb/s			Marvel	Up to 560 MB/s	Up to 530 MB/s	11 Years	
	Plextor SSD M.2 256G PX-256M8VG		NA		Rp 553.500	256GB	M.2 2280	M.2	SATA 6Gb/s, compatible with SATA 3Gb/s and 1.5 Gb/s				Up to 560 MB/s	Up to 510 MB/s	12 Years	
	Plextor SSD M.2 128G PX-128M8VG		R		Rp 359.000	128GB	M.2 2280	M.2	SATA 6Gb/s, compatible with SATA 3Gb/s and 1.5 Gb/s				Up to 560 MB/s	Up to 400 MB/s	13 Years	
	Plextor SSD 256G PX-256M8VC		NA		Rp 553.500	256GB	M.2 2280		M.2 SATA 6GB/s			SMI SM2258	Up to 560 MB/s	Up to 400 MB/s		
	Plextor SSD 128G PX-128M8VC		NA		Rp 388.500	128GB	M.2 2280		SATA 6Gb/s, compatible with SATA 3.0 / 1.5Gb/s				Up to 560 MB/s	Up to 400 MB/s		