

SALES CONTACT :


Effective Date: 1 Februari 2021

ACC
HUD
PT ANDAL GLOBAL SOLUS

e-mail: support@njt.co.id Website: http://njt.co.id/

Facebook: https://www.facebook.com/NJTonline
Twitter: https://twitter.com/onlineNJT

Youtube : bit.ly/NJTonline-channel





Services Center

Pangeran Jayakarta : 021-6018218 Harco Mangga Dua : 021-6124541



800-140-1216

Services Online Checking: http://www.njt.co.id

Silicon Power SSD																
	Model	Description	R	•	MSRP	Capacity	Form Factor	Ticknes	Interface	Components	Controller	Seq Reads	Seq Writes	Warranty	Additional	Features
Silicon Power S	SD Velox Series Velox V80, 240GB	SP240GBSS3V80S25	С	1	Rp 395.000	240 GB	2.5 inch		SATA III	MLC NAND	Phison PS3108	550 MB/s *ATTO	500 MB/s *ATTO	3 Years	Trim Garbage collect SMART	SATA III 6Gbps backwards SATA II 3Gbps ATTO high transfer rate: Read speed: 550 MB/s max; Write speed: 550 MB/s max; Smartest Choice for System Upgrade, Supports TRIM command and Garbage Collection technology,NCQ and RAID ready, Implemented with ECC technology to guarantee data transmission reliability Built-in with SMART monitoring system
((CC) 1 (P2.)	Slim S55 120GB	SP120GBSS3S55S25	С	•	₹p 340.000	120GB	2.5 inch	7 mm	SATA III	MLC NAND	Synchronous Phison PS3108	520 MB/s	370 MB/s	3 Years	Trim Garbage collect SMART	7mm slim design suitable for Ultrabooks and Ultra-slim notebooks * SATA III 6Gbps backwards compatible with SATA II 3Gbps * Supports TRIM command and Garbage Collection technology * NCQ and RAID ready * Implemented with ECC technology to guarantee data transmission reliability * Built-in with SMART monitoring system * Low power consumption, shock- and vibration-proof, no noise and low latency
Silicon Power SSD	ACE A56 256GB	SP256GBSS3A56B25	С	•	Rp 405.000	256GB	2.5 inch	7 mm	SATA III	TLC NAND	Phison	560 MB/s *ATTO	530 MB/s *ATTO	3 Years	TRIM ,garbage collection NCQ and RAID ECC S.M.A.R.T.	*Based on "out-of-box performance"
* 	ACE A55 128GB	SP128GBSS3A55S25	R	ı	Rp 252.000	128GB	2.5 inch	7 mm	SATA III	3D NAND	Phison	560 MB/s *ATTO	530 MB/s *ATTO	3 Years	TRIM ,garbage collection NCQ and RAID ECC S.M.A.R.T.	Adopts 3D NAND flash and "SLC Cache
CECCOE OBY 1 minus	ACE A55 512GB	SP512GBSS3A55S25	L	ı	₹p 890.000	512GB	2.5 inch	7 mm	SATA III	3D NAND	Phison	560 MB/s *ATTO	530 MB/s *ATTO	3 Years	TRIM ,garbage collection NCQ and RAID ECC S.M.A.R.T.	Performance result may vary, depending on system platform, software, interface, and capacity.

Silicon Powers	SSD Slim Series Upgrade Kit																
50 B	Slim S60, 480GB & Upgrade Kit	SP480GBSS3S60S27	С		Rp 1.000.000	480 GB	2.5 inch	7 mm	SATA III	MLC NAND	Phison P	53108	520 MB/s	330 MB/s	3 Years	Trim, SMART, Upgrade Kit	SATA III 6Gbps backwards compatible with SATA II 3GbpsSuper-high transfer rate: 520MB/s max. Read speed 330MB/s max. Write speed Supports TRIM command and Garbage Collection technology Synchronous flash built-in
	Slim S60, 240GB & Upgrade Kit	SP240GBSS3S60S27	С		Rp 560.000	240 GB	2.5 inch	7 mm	SATA III	MLC NAND	Phison P.	53108	520 MB/s	330 MB/s	3 Years	Trim, SMART, Upgrade Kit	NCQ and RAID ready Equipped with Wear Leveling to extend endurance Implemented with ECC technology to guarantee data transmission reliability Built-in with SMART monitoring system Low power consumption
	Model	Description	R	‡	MSRP	Capacity	Form Factor	Ticknes	Interface	Components	Technology	Controller	Seq	Seq	Warranty	Additional	Features
M.2 PCIe Gen3	3x2 NVME												Reads	Writes			
	M.2 2280 PCIe SSD,A80,256GB	SP256GBP32A80M28	С		Rp 560.000	256GB	22.0 x 80.0 x 3.5mm	3.5mm	M.2 PCle Gen3x2	3D NAND TLC	NVMe 1.2 and Host Memory Buffer (HMB)	Marvell 88NV1160	1600 MB/s	1000 MB/s	3 Years		Super-fast PCIe Gen 3x2 interface NVMe 1.2 support Supports HMB (Host Memory Buffer) RAID engine for enhanced data integrity Dynamic thermal throttle mechanism to prevent overheating Slim form factor M28 (80mm) for perfect fit in slim and portable mobile applications or desktop PCs
	Model	Description	R	1	MSRP	Capacity	Form Factor	Ticknes	Interface	Components	Technology	Controller	Seq Reads	Seq Writes	Warranty	Additional	Features
Silicon Power	M.2 SSD M55																
M.2 SSD	SSD M55 M.2 2280 480GB	SP480GBSS3M55M28	С	1	₹p 890.000	480GB	22.0 x 80.0 x 3.5mm	3,5	SATA III	TLC NAND	Synchronous	Phison PS3108	560 MB/s	530 MB/s	3 Years		M.2 (NGFF) design suitable for ultrabooks, tablet computers and mini PCs SLC cache technology for performance boost and longer lifespan Supports Intel® Smart Response Technology (ISRT) Free download of SP Toolbox Software for efficient device monitoring Supports multiple functions including S.M.A.R.T. monitoring system and ECC technology for higher data transmission safety Supports TRIM command and NCQ
Silicon Power Portal	blel Hard Drives									Meterial		Dower	Data	Transfor			
	Model	Description	R	•	MSRP	Capacity	Dimension	Weight	Interface	Material Color	OS Support	Power Supply		Transfer Rate	Warranty	Additional	Features
Armor Series (Portable Hard Drives) Armor A85, 1TB	SP010TBPHDA85S3S	NA	1	Rp 1.280.000	1TB	132.5 x 92.3 x	298~364g	USB 3.0	Aluminum/Rubber / Plastic	Windows Xp 7 8, Linux , Mac OS	DC5V (USB)	5 Gbp	s (USB 3.0)	3 Years	256-bit AES encryption with SP Widget Mac	standards MIL-STD 810G Method 516.6 Procedure IV (transit drop test), a freefall test (122cm) on 26 contact points. Advanced internal hard drive suspension system.
	Armor A85M, 1TB (Mac)	SP010TBPHD85MS3S	NA	1	Rp 1.170.000	110	25.9 mm	230 30 4 g	3.0	Silver	10.5 Latter	DESV (03B)	480 Mb	pps (USB2.0)	3 (6013	free download software	Meet IP68 dustproof/waterproof standard. Pressure-resistant with stainless steel casing Intelligent cable-carry design

			1		-		1	1	l	1 1			1	T	ı	1	1
Portable Hardd	g Managaran	Armor A80, 2TB Armor A80, 1TB	SP020TBPHDA80S3B SP010TBPHDA80S3B	NA NA		Rp 1.598.000	2TB	139 x 94 x 18.1 mm	270-293g	USB 3.0	Aluminium Case Blue	Windows Xp 7 8, Linux , Mac OS 10.5 Latter	DC5V (USB)	5 Gbps (USB 3.0) 480 Mbps (USB2.0)	3 Years	SP Widget free software download	Meet the water resistant standard "IEC 529 IPX7" Meet the U.S. military drop-test standards MIL-STD-810F 516.5 procedure IV (transit drop test) Anti-pressure and anti-dust function Cable carry design
drive USB 3.0		Armor A65, 2TB	SP020TBPHDA65S3K	NA		Rp 1.565.000	2ТВ	43.4 x 86.7 x 20.7 mm	242 - 277g	USB 3.0	Rubber/ Plastic Black	Windows Xp 7 8, Linux , Mac OS 10.5	DC5V (USB)	5 Gbps (USB 3.0) 480 Mbps (USB2.0)	3 Years	SP Widget SP HDD Lock Utility free	Compliant with the U.S. military drop- test standards MIL-STD 810G Method 516.6 Procedure IV (transit drop test), a freefall test (122cm) on 26 contact points. Industry-first to meet IP67
		Armor A65, 1TB	SP010TBPHDA65S3K	NA		Rp 939.000	1TB					Latter				software	dustproof/waterproof Advanced internal hard drive suspension system Delicate cable storage design
		Armor A65M, 2TB	SP020TBPHD65MS3G	NA		Rp 1.730.000	2ТВ	43.4 x 86.7	242 - 277g	USB 3.0	Rubber/ Plastic	Mac OS 10.5	DC5V (USB)	5 Gbps (USB 3.0)	3 Years	SP Widget free download Mac	Easy plug-and-play use for Mac, supporting HFS+ and Time Machine* Compliant with the U.S. military drop- test standards MIL-STD 810G Method
		Armor A65M, 1TB	SP010TBPHD65MS3G	NA		Rp 1.060.000	1TB	x 20.7 mm			Grey		(480 Mbps (USB2.0)	2.000	software	516.6 Procedure IV (transit drop test), a freefall test (122cm) on 26 contact points Industry's-first to meet IP67 dustproof/waterproof standards
U\$8 2.0		Armor A50 500GB Gold	SP500GBPHDA50S2G	NA		Rp 700.000	500GB	133.8 x 78.3 x 16.2mm	200g	USB 2.0	Aluminium Case	Windows 8 / 7 / XP / 2000 , Linux 2.6.31 or later, MacOS 10.4	DC5V (USB)	480 Mb/s	3 Years	SP Widget free download Mac software	Advanced internal hard drive suspension system
ALSED A		Armor A15, 1TB Black&Green	SP010TBPHDA15S3K	NA		Rp 950.000	1TB	136 x 82.5 x	181~225g	USB 3.1 Gen1 USB 3.0,	Rubber/ Plastic	Windows 10/8.1/8/7/Vista /XP, Mac OS	DC5V (USB)	6 Gbps (USB 3.0)	4 Years	SP Widget free download Mac	Compliant with the U.S. military droptest standards MIL-STD 810F Method 516.5 Procedure IV.
8		Armor A15, 1TB Black&Red	SP010TBPHDA15S3L	NA		Rp 950.000	1TB	19.8 mm		USB 2.0 compatible		10.5.x, Linux 2.6.x		480 Mbps (USB2.0)		software	SuperSpeed USB 3.1 Gen1 (USB 3.0) interface

	Diamond Series	(Portable Hard Drives)															
		Diamond D10, 500GB (Pink)	SP500GBPHDD10S3P	NA	Rp 400.00	00	500GB	124.8 x 75.8 x 13.6 mm	155~205g	USB 3.0	Plastic Pink	Windows Xp 7 8, Linux , Mac OS 10.5 Latter	DC5V (USB)	5 Gbps (USB 3.0) 480 Mbps (USB2.0)	3 Years	SP Widget free download Mac software	Classic checkered design with contemporary style and sophistication,The tasteful union of luxury fashion and modern technology,Power saving sleep mode LED indicates power on and data transfer activity 256-bit AES encryption
Ро		Diamond D06, 2TB	SP020TBPHDD06S3K	NA	Rp 1.380.00	00	2TB	116 x 78 x	138g~174g	USB 3.0	Plastic	Windows Xp 7 8, Linux , Mac OS	DC5V (USB)	5 Gbps (USB 3.0)	3 Years	SP Widget free download Mac	Classic and stylish diamond-check pattern Slim and light-weighted design, easy for daily carrying
Portable Harddrive USB 3.0		Diamond D06, 1TB	SP010TBPHDD06S3K	NA	Rp 675.00	00	1 TB	13mm			Black	10.5 Latter	(235)	480 Mbps (USB2.0)		software	SuperSpeed USB 3.0 compliant and backwards USB 2.0 Matte surface, able to avoid scratches, fingerprint and dirt
ddrive US		Diamond D03, 500GB	SP500GBPHDD03S3K	NA	Rp 788.00	00	500GB	75.5 x 117.55 x	147~170g	USB 3.0	Solid aluminum	Windows Xp 7 8, Linux , Mac OS	DC5V (USB)	5 Gbps (USB 3.0)	3 Years	SP Widget free download Mac	Solid aluminum metal structure and scratch resistant surface Power saving sleep mode
B 3.0		Diamond D03, 1TB	SP010TBPHDD03S3K	NA	Rp 876.00	00	1TB	14 mm	147 170g	030 3.0	Black	10.5 Latter	DC3V (03B)	480 Mbps (USB2.0)	3 Tears	software	LED indicates power on and data transfer activity 256-bit AES encryption
	Stream Series (I	Portable Hard Drives)									ı	ı				1	
		HD Stream S10 (Green)	SPHDDPUSB3016	NA	Rp 400.00	00	500GB	134.2 x 78.8 x	145g	USB 3.0	Artistry paint treatment,	Windows Xp 7 8, Linux , Mac OS	DC5V (USB)	5 Gbps (USB 3.0)	3 Years	SP Widget free download	The ultra-streamline Stream S10 utilizes USB3.0 interface high performance engine, boasting a
		HD Stream S10 (Orange)	SPHDDPUSB3017	NA	Rp 400.00	00	500GB	17.7 mm	1.06	002 0.0	fingerprint free	10.5	2631 (662)	5 csps (cc2 c.c)	5 164.5	software	maximum transfer bandwidth of 5 Gb/sec. Coupled with weight reduction technology, it weighs only 145 g
		Stream S03, 2TB	SP020TBPHDS03S3W	NA	Rp 1.109.00	00	2TB					Windows Xp 7 8,					Matte surface treatment resists
	1	Stream S03, 1TB (Black)	SP010TBPHDS03S3K	NA	Rp 675.00	00	1TB	122.5 x 77.5 x 13.3 mm	145-168g	USB 3.0	Plastic Matte Black/white	Linux , Mac OS 10.5 Latter	DC5V (USB)	5 Gbps (USB 3.0) 480 Mbps (USB2.0)	3 Years	SP Widget free download	fingerprints and scratches Power saving sleep mode LED indicates power on and data transfer activity
		Stream S03, 1TB (white)	SP010TBPHDS03S3W	NA	Rp 675.00	00	1TB					2000					activity

Harga dan spesifikasi dapat berubah sewaktu waktu tanpa pemberitahuan terlebih dahulu

Silicon Power Memory	y Module																
Me	odel	Description	R 1		MSRP	Capacity	Туре	PC	Speed	Package	Chip Spec	Buffered	voltage	Voltage	Warranty	Additional	Features
DDR4-2666 Unbuffere	ed DIMM																
	SP UDIMM DDR4-2666, 8GBX1 HS		С	Rp	549.000	8GB	DDR4	21300	2666	Single	1G x 8 Single Rank	Unbuffered	CL19	1.2V	Lifetime	100% factory- tested	Complies with JEDEC standards Heatsink Low voltage of 1.2V for less power consumption 100% tested for stability, durability, and compatibility Supports Intel Skylake-X and Kaby Lake-X CPU
- 0 (0000)	SP U-DDR4- 2666,CL19,8GBx2 (1Gx8 SR)	SP016GBLFU266B22	L	Rp	725.000	16GB	DDR4	21300	2666	Dual	1G x 8 Single Rank	Unbuffered	CL19	1.2V	Lifetime	100% factory- tested	Complies with JEDEC standards Low voltage of 1.2V for less power consumption 100% tested for stability, durability, and compatibility Supports Intel Skylake-X and Kaby Lake-X CPU
	SP U-DDR4- 2666,CL19,8GBx1,(1Gx8 SR)		С	Rp	527.000	1GB	DDR4	21300	2666	Single	1G x 8 Single Rank	Unbuffered	CL19	1.2V	Lifetime	100% factory- tested	Complies with JEDEC standards Low voltage of 1.2V for less power consumption 100% tested for stability, durability, and compatibility Supports Intel Skylake-X and Kaby Lake-X CPU
DDR4-2400 Unbuffere	ed DIMM																
	SP U-DDR4- 2400,CL17,4GBx1, (512Mx8 DR),w/HS	SP004GBLFU240NS2	С	Rp	238.000	4GB	DDR4	19000	2400 Mhz	Single	512 x 8 Double Rank	Unbuffered	CL17	1.2V	Lifetime	100% factory- tested	Complies with JEDEC standards Low voltage of 1.2V for less power consumption 100% tested for stability, durability, and compatibility Supports Intel Skylake-X and Kaby Lake-X CPU
	Silicon Power UDIMM DDR4-2400,CL17,4GBx1	SP004GBLFU240N02	С	Rp	238.000	4GB	DDR4	19000	2400 Mhz	Single	512 x 8 Single Rank	Unbuffered	CL17	1.2V	Lifetime	100% factory- tested	High performance at transfer bandwidth reaching 17GB/s Low voltage of 1.2V for less power consumption Original and high quality memory module 100% tested for stability, durability and compatibility Order Information
All Property of the Control of the C	SP UDIMM DDR4 2400,CL17 16GBx1 (HEATSINK)	SP016GBLFU240BS2	С	Rp	955.000	16GB	DDR4	19000	2400 Mhz	Single	2GB x 8 Single Rank	Unbuffered	CL17	1.2V	Lifetime	Heatsink	Fierce design for the complete experience High performance of up to 17GB/s bandwidth Effective heat dissipation for a prolonged module lifespan Original and high quality memory module 100% tested for stability, durability and compatibility

	DDR3L 240 Pin Unbuffer	ed DIMM																
DDR 3		Silicon Power UDIMM DDR3L- 1600 CL11, 4GBx1 4GB	SP004GLLTU160N02	С	R	p 288.000	4GB	DDR3	12800	1600 Mhz	Single 4GB	521M x8 Single Rank	Unbuffered	CL11	1.35V	Lifetime	100% Tested	
	DDR4L SODIMM	-																
		SP SODIMM DDR4- 2400,CL17 8GBx1 8GB		С	R	p 450.000	8GB	DDR4	19000	2400 Mhz	Single	1GB x 8 Single Rank	Unbuffered	CL17	1.2V	Lifetime	100% factory- tested	High performance at transfer bandwidth reaching 17GB/s Low voltage of 1.2V for less power consumption Original and high quality memory module 100% tested for stability, durability and compatibility Order Information
	DDR3L SODIMM																	
DDR 3	2 A	Silicon Power SODIMM DDR3L-1600 CL11, 8GBx1 8GB	SP008GLSTU160N02	R	R	p 395.000	8GB	DDR3	12800	1600 Mhz	Single 8GB	521M x8 Dual Rank	Unbuffered	CL11	1.35V	Lifetime	100% Tested	

Harga dan spesifikasi dapat berubah sewaktu waktu tanpa pemberitahuan terlebih dahulu

Silicon Power USB	X Drive storage expansion sol	ution for iPhone/iPad,	/iPod	!											
	Model	Description	R	MSRP	Capacity	Size	Weight	Interface	Material Color	OS Support	Operating Temp	Data Transfer Rate	Warranty	Additional	Features
Silicon Power USB	SP xDrive Z30 64GB	SP064GBLU3Z30V1W	R	Rp 420.000	64GB	62.7 x 23.5 x 9.8 mm	13 g	Lightning / USB 3.1 Gen1 / USB 3.0, USB 2.0	Plastic White	iOS 8.0.x or later, Mac 10.3.x or later, Windows 10/8/7/XP, Linux 2.6.x or late	0° C ~ 70° C	64GB/s	2 Years	Dual-interface of Lightning and USB 3.1 Gen1	Dual interface with a Lightning connector and a USB 3.1 Gen1(USB 3.0) connector to enable data transmission between PCs and Apple devices Cap-less retractable connector Exlusive SP xDrive Explorer App for easy backup and file management. Free-download SP Widget software provides powerful functions such as data backup & restore, AES 256-bit encryption, and cloud storage for efficient data management. Support iPhone 6s Live Photos function
Silicon Fower OSB	Model	Description	R	MSRP	Capacity	Size	Weight	Interface	Material Color	OS Support	Operating Temp	Data Transfer Rate	Warranty	Additional	Features
	SP USB-C Mobile C80 16GB,Silver	SP016GBUC3C80V1S	L	Rp 123.000	16GB	49.4 x 18.0 x 6.6 mm	8 g	USB 3.0	Titanium	Windows 10/8.1/8/7/ Vista/XP, Mac OS 10.3.x, Linux 2.6.x	0° C ~ 70° C	64GB/s	lifetime	Intelligent 360° Swivel-Cap Design, Type-C Interface	Dual interface for USB Type-C and USB Type-A ports, 360° swivel cap design Ergonomic design, easier to use and grasp, Exquisite circular shape, perfectly fitted on a keychain, Sturdy zinc alloy casing, COB (Chip-on-board) technology for water, dust and vibration proof, Exclusive freedownload file management App—SP File Explorer, Recuva File Recovery, allowing recovery of erased files, such as digital photos, documents, music and videos
Silicon Power UFD Ultima II I-Series															
Ottilla II I-Series	Model	Description		MSRP	Capacity	Size	Weight	Interface	Material Color	OS Support	Operating Temp	Data Transfer Rate	Warranty	Additional	Features
1 to	SP UFD 2.0 Ultima U03 32GB,White	SP032GBUF2U03V1W	R	Rp 54.000	32GB	55.0 x 20.0 x 8.6 mm	13 g	USB 2.0	White	Windows 10/8.1/8/7/ Vista/XP, Mac OS 10.3.x, Linux 2.6.x	0° C ~ 70° C	480Mbps	lifetime	Retractable connector	Luxurious diamond cut pattern, classic and stylish Special cap-less design with retractable USB connector SP Widget, the exclusive free-download software, provides powerful functions such as data backup & restore, AES 256-bit encryption and cloud storage for efficient data management.
	SP Ultima U05 16GBx3 Tri-pack	SP048GBUF2U05VCM		Rp 59.000		53.9 x 20.0 x 10.0 mm	9.2 g	USB 2.0		Windows 10/8.1/8/7/ Vista/XP, Mac OS 10.3.x, Linux 2.6.x	0° C ~ 70° C	480Mbps	lifetime	Retractable connector	Tripack One-handed operation with the intelligent design of retractable USB connector. Matte surface, able to avoid scratches, fingerprint and dirt Modern look with the stylish and stream shape design and various vivid colors SP Widget, the exclusive free-download software, provides powerful functions such as data backup & restore, AES 256-bit encryption and cloud storage for efficient data management.

	SP Ultima U05 32GB, Deep Blue	SP032GBUF2U05V1D	L	Rp	54.000	32GB	53.9 x 2	9.2 g	USB 2.0	Blue	Vista/XP, Ma	(0° C ~ 70° C	80Mbps	lifetime	Retractable connector	One-handed operation with the intelligent design of retractable USB connector. Matte surface, able to avoid scratches, fingerprint and dirt Modern look with the stylish and stream shape design and various vivid colors SP Widget, the exclusive free-download software, provides powerful functions such as data backup & restore, AES 256-bit encryption and cloud storage for efficient data management.
		SP008GBUF2101V1B	С		43.000	8GB	55.5 x 19.0 x 7.1 mm +/- 0.3m	10g	USB 2.0	Blue	Windows 10/8.1/8/7/ Vista/XP, Mac OS 10.3.x,	0° C ~ 70° C	480Mbps	lifetime	Apple Green & Ocean Blue Fashion Color	The state of art aluminum matt finish surface with anti-scratch, fingerprint free and trendy design The chain-hook design as accessories or keychains
	SP Helios 101 8GB,Green	SP008GBUF2101V1N	С	Rp	43.000	8GB	m			Green	Linux 2.6.x					True plug and play, no external power required
	SP Ultima U31 64GB,Yellow	SP064GBUF2U31V1Y	С	Rp	81.000	64GB	54.2 x 20.0 x	8.8 g	USB 2.0	Yellow	Windows 10/8.1/8/7/ Vista/XP,	0° C ~ 70° C	480Mbps	lifetime	360° Swivel cap with 4-way	360° swivel-cap design, 4-position booster rotating patent for easier and faster operation, Ergonomically designed with smooth shape and anti-slip treatment, Metallic movement for higher quality and better durability Trendy style with vivid colors, LED indicator, easier for users to recognize the
	SP Ultima U31 8GB,Yellow	SP008GBUF2U31V1Y	С	Rp	43.000	8GB	12.1 mm				Mac OS 10.3.x, Linux 2.6.x				booster rotating patent	transferring status, SP Widget free download software, providing 7 major back-up and Secure functions, Recuva File Recovery, allowing recovery of erased files, such as digital photos, documents, music and videos
- Codd	SP Ultima U06 8GB, Blue	SP008GBUF2U06V1B	L	Rp	43.000	8GB	59.7 x 19.4 x 10.0 mm	9.0 g	USB 2.0		Windows 10/8.1/8/7/ Vista/XP, Mac OS 10.3.x, Linux 2.6.x	0° C ~ 70° C	480Mbps	lifetime	Snap-on cap design	Special snap-on cap design, no more worries about cap loss Delicate matte surface, better handling and higher protection from scratches, fingerprints and dirt Circular drive body and stylish beveled-shaped design Recuva File Recovery, allowing recovery of erased files, such as digital photos, documents, music and videos SP Widget, the exclusive free-download software, provides powerful functions such as data backup & restore, AES 256-bit encryption and cloud storage for efficient data management.
\$ 1	SP Touch T06 64GB,Black	SP064GBUF2T06V1K	С	Rp	113.000	64GB	24 x 16 x 8.5 mm	3.6 g	USB 2.0	Black / White	Windows 10/8.1/8/7/ Vista/XP, Mac OS 10.3.x, Linux 2.6.x	0° C ~ 70° C	480Mbps	lifetime	Impressively Tiny, Incredibly easy	Tiny and Trendy design, Specialized shape design for easier operation Waterproof, vibration-proof and dustproof, Plug in and use, no external power supply required, SP Widget free download software, providing 7 major back-up and Secure functions, Recuva File Recovery, allowing recovery of erased files, such as digital photos, documents, music and videos

	SP Ultima II I-Series 32GB (black)	SP032GBUF2M01V1K	L	Rp	48.500	32GB	60.6 x 18.0 x 8.1 mm	10 g	USB 2.0	Black	Windows 10/8.1/8/7/ Vista/XP, Mac OS 10.3.x, Linux 2.6.x	0° C ~ 70° C	480Mbps	lifetime	SP Widget	. The state of art aluminum matt finish surface with anti-scratch fingerprint-free modernistic look . LED indicates the usage status . Compact and versatile . Compliant with RoHS requirement . SP Widget free download, providing 7 major back-up and security function
Silicon Power xDri	ve Mas book															
Silicon Power xDn	Model	Description	R	♣ N	/ISRP	Capacity	Size	Weight	Interface	Power Requirement	Class	Operating Temp	Data Transfer Rate	w	arranty	Features
	SP xDrive L13 64GB Exp Card	SP064GBSAXGU3V10	R	Rp 3	315.000	64GB	22.6 x 28.4 x 3.1 mm	1.4 g	xDrive	2.7V~3.6V		0°C ~ 70°C	90MB/s / 60MB/s	Lifetin	ne Warranty	Easy plug-and-play use for MacBook users to instantly expand storage space Blazing-fast transfer speeds up to R/W 90/60 MB/sec Especially designed with different dimensions that can be exactly fitted in MacBook Air and MacBook Pro Exclusive embossed dot design, allow users to quickly track the card Intelligent groove-sided design, enable easy removal
Silicon Power Mici	o SDHC			1						Danner		Onematica	Data Transfer			
	Model	Description	R	• M	/ISRP	Capacity	Size	Weight	Interface	Power Requirement	Class	Operating Temp	Rate	w	arranty	Features
5P	SP mSDXC U3 Color SR104 64GB		С	+ -	62.000	64GB	15 x	0.6~	micro SDXC	2.7V ~ 3.6V	IIIIc 2	0° C ~ 70° C	90MB/s Read	Lifetia	ne warranty	Superior Pro micro UHS-1 (U3) series flash card adopts new Ultra High Speed Class 3 specification. It support high-speed
64	SP mSDHC U3 Color SR104 32GB SP mSDHC U3 Color SR104 16GB		С	ļ ·	54.300 48.000	32GB 16GB	11 x 1 mm	0.6g	micro SDHC	2.70 5.60	UHS-3	0 0 70 0	80MB/s Write	Lifetin	ie warranty	continuous shooting, and 4K high- resolution Ultra HD recording, to capture every splendid moments.
Micro Micro	SP mSDXC U1 CSR104 64GB	SP064GBSTXBU1V20SP	С	Rp	73.000	64GB	15 x11	0.6g	Micro SD	2.7V~3.6V		0° C ~ 70° C	85MB/S	11	fetime	Capture high-quality images and extended lengths of stunning 1080p full-HD video with any microSD UHS-1 compatible Android and other Smartphones, tablets
Micro SDHC	SP mSDHC UHS-1 C10 32GB	SP064GBSTHBU1V20SP	С	Rp	51.000	32GB	x 1mm	U.Ug	WIICI O 3D	2.70 5.00	UHS-1	10 C 70 C	osivib/3	"	retime	- Transfer speeds : ELITE series : up to *75 MB/s~85MB/s reading - Class 10 video recording performance
MSC2 Adapter SS 16	SP mSDHC U1 SR104 16GB	SP008GBSTHBU1V20SP	С	Rp	48.000	16GB	15 x 11 x 1	0.6g	microSDHC	2.7V ~ 3.6V	Classs 10	0° C ~ 70° C	85MB/S	li	fetime	Powerful Performance for Photography and Recording , Storage Flexibility for the Needs
Adapter SP 16	SP mSDHC U1 SR104 8GB	SP016GBSTHBU1V20SP	С	Rp	37.000	8Gb	mm	о.о _Б	Microsoffic	2.7 V 3.0 V		70 0	031410/3	"	·came	of Digital Life, Excellent Compatibility,

Effective Date: 1 Februari 2021

Sili	con Power Powerbank																
	Model		Description	R •	MSRP	Capacity	Dimension	Weight	Input	Color	Output	Lifespan	Charging Time	Operating Temperature	Warranty	Additional	Features
S102	Petroleum Series	Silicon Power SP Powerbank Petroleum S102 12000 Black	SP12KMAPBK102P 5K	С	Rp 315.000	12000mA h	156.4 x 76.2 x 18.3 mm	280g	DC 5V/ 2A	Black and White	USB1 DC 5V/ 2.1A USB2 - DC 5V/ 1A USB1+USB 2 - DC 5V/ 2.1A	500 charge cycles or more	8 hours	0°C ~ 45°C (32°F~113°F)	13 months	Unique Design of Anti-Slip and Anti-Scratch Rubber Surface 0-Second Power Saving Mode & 4-Level LED Indicator	* Slightly curved surface, offering smooth feel of touch and easy to hold * Textured rubber back cover to prevent slipping and scratching your devices * High capacity Li-Polymer battery of 12000mAh * Compatible with various mobile devices, including smartphones and tablets * 2.1A output that enables faster charges * 4-level LED indicator to show the charging status * Plug and charge, with 10-second power saving mode * Protections: Multi-protections with Over-current(OCP), Under-Voltage(UVP), Over-Voltage(OVP), Short-Circuit(SCP) * FCC/CE/BSMI approved and RoHS compliant * Product liability insurance up to USD 10 Million
P101	POISE BANK P101 1000 mile	Silicon Power SP Powerbank Petroleum P101 10400 White Silicon Power SP Powerbank Petroleum P101 10400 Blue	SP10KMAPBK101C 1W SP10KMAPBK101C 1B	NA C	Rp 200.000	10400mA h	101.9 x 86.1 x 25.0 mm	233g	DC 5V/ 2A	White	USB1 DC 5V/ 2.1A USB2 DC 5V/ 1A USB1+USB 2 DC 5V/ 2.1A	800 charge cycles	8 hours	0°C ~ 45°C (32°F~113°F)	13 months	Quality guarantee with Samsung battery cell	* High capacity of 10400mAh * 2.1A output that enables faster charges * Samsung battery cell * Stylish UV baking finish surface, able to avoid scratches and dirt * 4-level LED indicator to show the charging status * Compatible with various mobile devices, including smart phones and tablets. * Protections: OVP, UVP, OCP and SCP * FCC/CE/BSMI Approved and RoHS Compliant. * UP to USD 10 Million Products Liability Insurance * 10-seconds power saving mode (automatically turn off while no more discharging from the Power Bank) * Plug and charge
S82		Silicon Power Powerbank Petroleum S82 8000 Black	SP8KOMAPBKS82P 5K	NA	Rp 200.000	- 8000mAh	101.9 x 86.1 x 25.0 mm	200g	DC 5V/ 2A	Black	USB1 DC 5V/ 2.1A USB2 DC 5V/ 1A USB1+USB 2	500 charge cycles or more	6 hours	0°C ~ 45°C (32°F~113°F)	13 months	Power Saving	* Slightly curved surface, offering smooth feel of touch and easy to hold * Textured rubber back cover to prevent slipping and scratching your devices * High capacity Li-Polymer battery of 8000mAh * Compatible with various mobile devices, including smartphones and tablets * 2.1A output that enables faster charges * 4-level LED indicator to show the charging status * Plug and charge, with 10-second power saving mode
		Silicon Power Powerbank Petroleum S82 8000 White	SP8K0MAPBKS82P 5W	С	Rp 200.000					White	DC 5V/ 2.1A					Mode & 4-Level LED Indicator	* Protections: Multi-protections with Over- current(OCP), Under-Voltage(UVP), Over-Voltage(OVP), Short-Circuit(SCP) * FCC/CE/BSMI approved and RoHS compliant * Product liability insurance up to USD 10 Million

POWER BANK PS1 5000 IMAN	Silicon Power Powerbank Petroleum P51 5200 Black	SP5K2MAPBKP51C 1W	L	Rp 157.500	- 5200mAh	98.0 x 45.0	121g	DC	Black	USB DC 5V/	500 charge	6 hours	0°C ~ 45°C	13 months	Quality guarantee with	* High capacity of 5200mAh * 2.1A output that enables faster charges * Samsung battery cell * Stylish UV baking finish surface, able to avoid scratches and dirt * 4-level LED indicator to show the charging status * Compatible with various mobile devices, including
	Silicon Power Powerbank Petroleum P51 5200 Blue	SP5K2MAPBKP51C 1B	С	Rp 157.500		x 24.7 mm	1216	5V/1.2A	Blue	2.1A	cycles or more	Ollouis	(32°F~113°F)	13 1110111113	Samsung battery cell	* To-seconds power saving mode (automatically turn off while no more discharging from the Power Bank)
Silicon USB Cable Model		Description	R #	MSRP	Cable diameter	Connec	tors	Fun	ction	Transfer speed	Material	Color	Certification	Warranty	Fast Charge	
6	USB Micro-B Cable Boost Link LK10AC White	1M,A to C Cable,LK10AC,PVC ,White	R	Rp 48.000	28/22 AWG	Туре-	-C		g & data nission	Fast charge QC 3.0 QC 2.0 480MB/s	PVC	White		1 year	QC 3.0/QC 2.0	Up to 2.4A current for Lightning/Micro-B/Type-C connectors Supports QC3.0/QC2.0 Outperforms conventional cables by 40% Simultaneous charging and data transfer* *Device, software, environment, and other conditions can affect charging time and transmission speed. Uses SR enhanced connectors that can withstand over 10.000 bends 1 meter suits a variety of environments and uses Flexible PVC material is recyclable
	USB Lightning Cable Boost Link LK10AL	1M,Ato Lightning Cbl,LK10AL,PVCBlc k	R	Rp 110.300	28/24 AWG	Lightni	ing		rging & nsmission	480MB/s	PVC	Black	Mfi	1 year	iOS device	Up to 2.4A current for Lightning/Micro-B/Type-C connectors Outperforms conventional cables by 40% Simultaneous charging and data transfer* *Device, software, environment, and other conditions can affect charging time and transmission speed. Uses SR enhanced connectors that can withstand over 10.000 bends 1 meter suits a variety of environments and uses Flexible PVC material is recyclable Apple MFi certified and gold-plated Lightning 8 pin connector gaurantees the best connectivity for any iOS device Lightning equipped with the latest, 52% smaller C48 Apple authorized chip Integrated metal and plastic strengthen Lightning connection, preventing shear and pinch damage Aluminum shielding in the Lightning cables provide layered protection from interference, nsuring interrupted transmissions
	USB Micro-B Cable Boost Link LK30AB Gray	1M,A to B Cable,LK30AB,Nyl on,Gray	R	Rp 56.400	28/24 AWG	Micro	B		rging & nsmission	480MB/s	Nylon	Gray		1 year	QC 3.0/QC 2.0	